### WATER SYSTEMS An A. O. Smith Company

# PUMP TANKS & EXPANSION TANKS







# LIST PRICE BOOK

Effective July 1, 2022

- Water Systems Products
- Plumbing and Heating Products









www.wstanks.com

### **Order Information**

#### **ACCEPTANCE OF ORDERS**

This price book does not constitute an offer to sell. All orders are subject to final approval and acceptance.

#### **TERMS OF SALE:**

Prices are effective at time of shipment. Prices are subject to change without notice. Prices are subject to any sales or use tax that may be assessed thereon. Prices are F.O.B. factory manufacture.

#### **BILLING TERMS:**

2% 10th Prox., Net 25th

#### **PAYMENT POLICY:**

Credit memos should be deducted from open invoice(s) before applying any cash discount(s).

#### **FREIGHT POLICY:**

\$7000 minimum required for prepaid freight. (see exception)

Zone 1: All states east of Wyoming, Montana, Colorado and New Mexico Zone 2: Wyoming, Montana, Colorado, New Mexico and all states west.

**EXCEPTION:** Due to issues with LTL freight carriers 525 and 900 gallon tanks must be ordered on full truckload orders, or, you may arrange for transport. If not on a full truckload you will be responsible for freight. Contact us for more info.

#### **SHIPPING POLICY:**

Tanks must be ordered in skid quantities. Skid quantities are listed in the model detail. Full truckload = 24 to 26 skids

#### TRANSPORTATION CLAIMS:

Merchandise shipped to our customer becomes property of the buyer upon receipt by the carrier. It is necessary that the merchandise be carefully inspected upon receipt to ensure the units are damage-free. In event of either merchandise shortage or damage, the buyer's receiving agent should have the carrier's agent make notation of the condition or shortage on their receiving report so a claim can be filed against the carrier. If damage is discovered after unpacking, the carrier should be notified at once, so inspection can be made and the claimed damage substantiated by the carrier. The buyer under any circumstance must file the claim.

#### **RETURN OF MERCHANDISE:**

No merchandise may be returned to the factory or warehouse for credit without prior written authorization from A. O. Smith. If merchandise is returned (providing it is new and unused), it must be sent freight prepaid and will be subject to a 25% restock charge for standard products and 30% for non-standard products. All merchandise returned without prior authorization will be refused and returned to the customer with any incurred expenses charged back to the customer.

In keeping with our policy of continuous product improvement, we reserve the right to make minor changes in product specifications or price without prior notice.



- 5-Year Limited Warranty
- 125 PSI Working Pressure
- 304 SS Waterway and ElbowUltra-UV Exterior Powder Coat
- Virgin Polypropylene Liner
- Butyl Rubber Parabolic Molded Diaphragm

	MAY Working	Truck Loading Data						
Model Number	MAX Working Pressure	Pallet Quantity	Pallet Quantity Height (Inches) Diameter (Inches		Shipping Weight (lbs.)	List Price		
Trident Ultra Mod	dels - In-Line Series							
*TDUI-2	125	75	10-3/16	8-1/4	5	\$236.49		
*TDUI-5	125	48	14-3/4	11	9	330.40		
*TDUI-7	125	32	21-1/16	11	14	534.46		
TDUI-14	125	36	21-1/16	15-3/8	24	633.26		
Trident Ultra Mod	dels- Horizontal Tank	s with Legs and Pun	np Mounts					
*TDUH-7	125	32	12-7/8	11	16	\$647.06		
TDUH-14	125	36	18-1/4	15-3/8	25	1,143.14		
TDUH-20	125	27	18-1/4	15-3/8	36	1,377.17		
Trident Ultra Mo	dels - Vertical Mode	ls with Polymer Base						
TDU-14	125	36	25-15/16	15-3/8	23	\$770.94		
TDU-20	125	27	32-3/8	15-3/8	34	1,090.39		
TDU-26	125	21	39-9/16	15-3/8	43	1,009.90		
TDU-26EX	125	21	39-9/16	15-3/8	44	1,135.27		
TDU-32	125	18	47-1/4	15-3/8	52	1,638.25		
TDU-45	125	10	36-9/16	22	64	2,078.79		
TDU-65	125	8	48-5/8	22	89	2,449.99		
TDU-85	125	4	60-11/16	22	113	2,657.49		
TDU-86	125	8	46	26	116	2,918.56		
TDU-119	125	6	61-5/16	26	161	4,158.08		
Trident Ultra Pre	nium Vertical Model	s with RustGuard™	No-Weld Base					
TDU-14S	125	36	25-15/16	15-3/8	23	\$951.44		
TDU-20S	125	27	32-3/8	15-3/8	34	1,070.37		
TDU-26S	125	21	39-9/16	15-3/8	43	1,203.63		
TDU-32S	125	18	47-1/4	15-3/8	52	1,736.60		
TDU-45S	125	10	36-9/16	22	64	2,203.66		
TDU-65S	125	8	48-5/8	22	89	2,597.01		
TDU-85S	125	4	60-11/16	22	113	2,816.77		
TDU-86S	125	8	46	26	116	3,093.60		
TDU-119S	125	6	61-5/16	26	161	4,407.35		

<sup>\*</sup>Powder Coated Interior and acceptance fitting.

- 5-Year Limited Warranty100 PSI Working PressureGalvanized Lead Free Connection
- Polypropylene Liner
- Butyl Rubber Parabolic Diaphragm

	MANUAL LI										
Model Number	MAX Working Pressure	Pallet Quantity	Height (Inches)	Diameter (Inches)	Shipping Weight (lbs.)	List Price					
Trident Standard Models with Polymer Base											
TD-20	100	27	32-3/8	15-3/8	34	\$866.83					
TD-26	100	21	39-9/16	15-3/8	43	881.57					
TD-32	100	18	47-1/4	15-3/8	52	916.48					
TD-45	100	10	36-9/16	22	64	1,866.88					
TD-65	100	8	48-5/8	22	89	2,203.17					
TD-85	100	4	60-11/16	22	113	2,684.53					
TD-86	100	8	46	26	116	2,839.90					
TD-119	100	6	61-5/16	26	161	3,744.59					
Trident Standard	Models with RustGu	ıard™ No-Weld Base									
TD-20S	100	27	32-3/8	15-3/8	34	\$918.92					
TD-26S	100	21	39-9/16	15-3/8	43	934.66					
TD-32S	100	18	47-1/4	15-3/8	52	971.52					
TD-45S	100	10	36-9/16	22	64	1,978.98					
TD-65S	100	8	48-5/8	22	89	2,335.44					
TD-85S	100	4	60-11/16	22	113	2,845.80					
TD-86S	100	8	46	26	116	3,010.51					
TD-119S	100	6	61-5/16	26	161	3,969.24					



- Up to 150 PSI
- Butyl Rubber Parabolic Diaphragm
- "No-Weld" RUST-GUARD™ Steel Base
- Stainless Steel Elbow
- Powder Coated Water Lining
- Ultra UV Powder Coated Exterior
- 5-Year Limited Warranty

	DCI Waylsing						
Model Number	PSI Working Pressure	Pallet Quantity	Load %	Height (Inches)	Diameter (Inches)	Shipping Weight	List Price
PMXE-20	140	18	0.24	32-3/4	15-3/8	30	\$752.27
PMXE-32	140	15	0.26	45-1/2	15-3/8	40	1,123.47
PMXE-36	150	8	0.48	32-5/8	20	45	1,201.63
PMXE-52	150	8	0.48	38-5/8	23-3/8	77	1,740.50
PMXE-65	150	4	-	46-3/5	23-3/8	87	2,010.43
PMXE-86	150	4	0.96	59	23-3/8	105	2,324.64
PMXE-86S	150	4	-	46	26	116	2,323.48
PMXE-119	150	4	0.96	61-1/4	26	165	3,126.07



• 125 PSI

• Stainless Steel Elbow

• Butyl Rubber Parabolic Diaphragm

• Powder Coated Water Lining

"No-Weld" RUST-GUARD™ Steel Base
 5-Year Limited Warranty

	DCI Waylsing						
Model Number	PSI Working Pressure	Pallet Quantity	Load %	Height (Inches)	Diameter (Inches)	Shipping Weight	List Price
PMXP-20	125	18	0.24	32-3/4	15-3/8	30	\$683.93
PMXP-32	125	15	0.26	45-1/2	15-3/8	40	1,020.73
PMXP-36	125	8	0.48	32-5/8	20	45	1,092.50
PMXP-52	125	8	0.48	38-5/8	23-3/8	77	1,582.70
PMXP-65	125	4		46-3/5	23-3/8	87	1,830.50
PMXP-86	125	4	0.96	59	23-3/8	105	2,113.23
PMXP-86S	125	4		47-1/2	27	116	3,093.60
PMXP-119	125	4	0.96	61-1/4	26	165	2,910.19

- 100 PSI working pressure
- Butyl Rubber Parabolic DiaphragmNo-Weld plastic base
- Galvanized lead free elbow
- Powder Coated Water Lining
- Galvanized Lead Free Connection
- 5-Year Limited Warranty

#### **ProMax**

							1
	PSI Working	Truck Loading Data					
Model Number	Pressure	Pallet Quantity	Load %	Height (Inches)	Diameter (Inches)	Shipping Weight	List Price
In Line Series							·
PMX-2	150	75	0.02	10-3/16	8-1/4	5	\$281.24
PMX-5	150	48	0.04	14-3/4	11	9	391.39
PMX-7	100	32	0.05	21-1/8	11	14	633.26
Horizontal Seri	es with Legs and	Pump Mount					
PMX-7H	100	32	0.05	12-5/8	11	16	\$693.26
PMX-14H	100	18	0.12	17-3/8	15-3/8	251/2	917.48
PMX-20H	100	18	0.16	17-3/8	15-3/8	30	987.76
Vertical Series	with Polymer Bas	ie					
PMX-14	100	18	0.24	24-3/4	15-3/8	25.5	\$771.40
PMX-20	100	18	0.24	32-3/4	15-3/8	30	651.47
PMX-32	100	15	0.26	45-1/2	15-3/8	40	972.53
PMX-36	100	8	0.48	32-5/8	20	45	1,040.84
PMX-52	100	8	0.48	38-5/8	23-3/8	77	1,506.98
PMX-65	100	4		46-3/5	23-3/8	87	1,555.93
PMX-86	100	4	0.96	59	23-3/8	105	2,012.40
PMX-96	100	4	0.96	63-3/8	23-3/8	111	2,213.52
PMX-119	100	4	0.96	61-1/4	26	165	2,770.58

# Perma-Lin'd

**HEAVY DUTY** • Free Standing **PUMP TANKS** 

- **GLASS LINED** 125 PSI Working Pressure
  - 5-Year Limited Warranty

		1	70NF 4 L:-+	ZONE 2 List				
Model Number	Pallet Quantity	Load %	Length (Inches)	Diameter (Inches)	Shipping Weight (lbs.)	ZONE 1 List Price	Price	
PL-42-T	9	0.29	49	16-1/2	71	\$794.45	\$824.99	
PL-42-S	8	0.33	35-7/8	20	81	853.81	876.90	
PL-82	4	0.93	62-1/4	20	154	1,367.03	1,404.99	
PL-120	4	1.14	63	24	206	1,760.54	1,820.35	
PL-220	1	3.85	75	30	521	4,064.27	4,236.49	

FULL TRUCKLOADS OF PALLETIZED TANKS = 24 TO 26 PALLETS (Some exceptions i.e. 119-gallon tanks)

Zone No. 1: Prices apply to all states east of Wyoming, Montana, Colorado, and New Mexico.

Zone No. 2: Prices apply on shipments into Wyoming, Montana, Colorado, New Mexico and all states west.

### Perma-Galv

GALVANIZED • 75 PSI Working Pressure

- Standard Connections
- PUMP TANKS 1-Year Limited Warranty

		1	ruck Loading Dat	a		70NF 4 Li-4	70NF 2 Li-4
Model Number	Pallet Quantity	Load %	Length (Inches)	Diameter (Inches)	Shipping Weight (lbs.)	ZONE 1 List Price	ZONE 2 List Price
PZ-12	12	0.08	26-1/2	12	27	\$684.42	\$708.93
PZ-21	9	0.12	26-7/8	16	45	712.20	746.47
PZ-32	9	0.18	38-3/4	16	52	766.74	790.24
PZ-42-T	9	0.29	51	16	71	809.24	843.72
PZ-42-S	5	0.28	33-5/8	20	71	856.42	877.15
PZ-82	4	0.63	63	20	114	1,283.31	1,336.55
*PZ-120	4	0.91	64-1/2	24	154	1,698.69	1,770.25
*PZ-220	2	1.69	78	30	303	4,107.47	4,281.33
*PZ-315	1	2.44	79-1/2	36	416	5,496.74	5,714.08
*PZ-480	1	4.17	87	42	640	7,237.90	7,525.48
**PZU-525	_	3.70	131	36	685	7,898.17	8,562.13
**PZU-900	-	7.14	161	42	1,040	15,263.51	15,865.88

Accessories										
Part Number	Description	Weight (lbs.)	List Price							
100290594	Universal Pump Mount	3	\$48.71							
100109434	Magnesium Anode, 16", 3/4" NPT, .84" Dia	1	\$25.71							
100289787	220-900 Gal. Galvanized Saddles	62 (Pair)	\$972.23							

<sup>\*\*</sup>PZU Models can be installed horizontally or vertically.

Zone No. 1: Prices apply to all states east of Wyoming, Montana, Colorado, and New Mexico.

Zone No. 2: Prices apply on shipments into Wyoming, Montana, Colorado, New Mexico and all states west.

### **TW Series - Potable Water**

**EXPANSION TANKS** • Polypropylene Liner

• Stainless Steel Acceptance Fitting

FOR POTABLE
WATER HEATERS

• Two-Part Design
• 200 F Max Temperature **WATER HEATERS** 

NSF 61-G and 372 approved



Model	Mouleine	Truck Loading Data							
Number	Model Working Number Pressure	Pallet Quantity	Load %	Height (Inches)	Diameter (Inches)	Weight (lbs.)	Connections (Inches)	List Price	
1-Year Warra	nty								
TW-5-1	150	75	0.02	11	7 8/9	4.5	3/4" male	\$131.75	
TW-12-1	150	48	0.05	13-2/3	10-3/5	8.2	3/4" male	197.64	
5-Year Warra	nty								
TW-5-5	150	75	0.02	11	7 8/9	4.5	3/4" male	\$187.23	
TW-12-5	150	48	0.05	13-2/3	10-3/5	8.2	3/4" male	250.93	

#### **Certifications**

All Potable water tanks in this brochure are certified to ANSI/NSF 61 Standard G and NSF/ANSI 372 and are in compliance with section 116875 of the California Health and Safety Code and Vermont Act 193 "Lead in Consumer Products Law"

All diaphragm operated well tanks listed in this brochure are certified to ANSI/WSC PST 2000 - 2005 (2009) Standard - American National Standard/Water Systems Council Standard/Pressurized Water Storage Tanks.